


### Metre Blocks



Product Information	RLB 1M DUNE	RLB 1M CREME HIGH DENSITY PLAIN	RLB 1M NAT EARTH PLAIN	ECOGREY RECYCLED STANDARD 1M PLAIN	GRANITE ULTRA 1M PLAIN	GRANITE ULTRA 1M PAPYRUS	GRANITE ULTRA 1M PLAIN SEPIA
<b>Work Size (mm)</b>	1000 x 350 x 350	1000 x 350 x 350	1000 x 350 x 350	1000 x 350 x 350	1000 x 350 x 350	1000 x 350 x 350	1000 x 350 x 350
<b>Approximate Bricks Per m2</b>	2.7	2.7	2.7	2.7	2.7	2.7	2.7
<b>Blocks Per Pack</b>	8	8	8	8	8	8	8
<b>Approximate Coverage Per Pack (m2)</b>	3	3	3	3	3	3	3
<b>Pack Weight (kg) includes*3% moisture</b>	2142	2142	2142	1978	2142	2142	2142
<b>Approximate Unit Weight (kg)</b>	268	268	268	247	268	268	268
<b>Breaking Load</b>	>5	>5	>5	>3	>5	>5	>5
<b>Average Block Density</b>	>1900	>1900	>1900	>1800	>1900	>1900	>1900

All testing is carried out in accordance with RL MBA industry specifications for compressive strength tests methods. This technical information represents average properties obtained from production lots. If specific test results are required, please alert your sales representative when placing your order so samples can be taken from the specific production lot.



For more information about Midland Brick

A: 260 Kalamunda Road, South Guildford, WA 6055  
 P: 6313 1000

DISCLAIMER. The information presented herein is supplied in good faith and to the best of our knowledge was correct at the time of preparation. No responsibility can be accepted by Midland Brick, its staff or its agents for any errors or omissions. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by Midland Brick, its staff or its agents for any loss or damage caused by any person acting or refraining from action as a result of this information.