


Pavestone Classic



Product Information	PAVESTONE 6o AUTUMN BLEND	MPS6oCH PAVESTONE 6o CLASSIC CHARCOAL	MPS6oHR PAVESTONE 6o CLASSIC HERITAGE RED	MPS6oLS PAVESTONE 6o CLASSIC LIMESTONE	MPS6oPT PAVESTONE 6o CLASSIC PEWTER
Work Size (mm)	230x115x60	230x115x60	230x115x60	230x115x60	230x115x60
Dimensional Category	DP1	DP1	DP1	DP1	DP1
CMAA Shape Category	Type C	Type C	Type C	Type C	Type C
Approximate Unit Weight (kg)	3.40	3.40	3.40	3.40	3.40
Approximate Pavers Per m2	37.80	37.80	37.80	37.80	37.80
Approximate Coverage Per Pack (m2)	8.73	8.73	8.73	8.73	8.73
Pavers Per Pack	330	330	330	330	330
Leaves Per Pack	5	5	5	5	5
Nominal Pack Weight (kg) includes+3% moisture	1156	1156	1156	1156	1156
Breaking Load (kN) at 28 days	>6	>6	>6	>6	>6
Slip Resistance Category	P5	P5	P5	P5	P5
Potential to Effloresce	Slight-Medium	Slight-Medium	Slight-Medium	Slight-Medium	Slight-Medium

This technical information represents average properties obtained from productions runs. If specific results are required, samples should be taken from specific production runs. AS/NZS 4456 and 4586 are used as applicable. Information subject to change without notice. For specific requirements, please contact your Sales Representative.



For more information about Midland Brick

A: 260 Kalamunda Road, South Guildford, WA 6055
P: 6313 1000

DISCLAIMER. The information presented herein is supplied in good faith and to the best of our knowledge was correct at the time of preparation. No responsibility can be accepted by Midland Brick, its staff or its agents for any errors or omissions. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by Midland Brick, its staff or its agents for any loss or damage caused by any person acting or refraining from action as a result of this information.